

SASO

Powered by



EG.Light

E L S E W E D Y





SASO

INTRO DUCTION



EG.LIGHT IS A TRUSTED EGYPTIAN LED LIGHTING MANUFACTURER SINCE 2019. WE OFFER SMART, ENERGY.EFFICIENT SOLUTIONS FOR INDOOR, OUTDOOR, AND INDUSTRIAL USE. OUR TWO PRODUCT LINES — MIKANO AND SASO MEET DIVERSE MARKET NEEDS WITH EXCELLENCE. FROM DOWNLIGHTS TO STREET LIGHTS, WE COMBINE INNOVATION, QUALITY, AND VALUE.

SASO

STREET LIGHT



RACKET



RACKET COB



IZMIR



ORCA

FLOOD LIGHT



BIKASU



D-SPARK



SPARK



HUMMER

PANEL



SPOT COB



SURFACE LED



RECESSED LED



GYPTO



EG.Light
EL SEWEDY

SASO

DECORATIVE



STEP LIGHT



DOUBLE WALL



UP AND DOWN



OVAL BULKHEAD



LED STRIP

INDUSTRIAL & WORKSHOPS



HIGH BAY



LED TRI PROOF



STREAM



LED TUBE

LANDSCAPE



SIDE UPLIGHT



UP LIGHT



GLOB



LED SPIKE

SASO

SURFACE PLAFONIERA



Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG110-6524-2	24w	6500K	60	44	2400 _{LM}	0.95	2
EG110-3024-2	24w	3000K	60	44	2400 _{LM}	0.95	2
EG110-6536-2	36w	6500K	60	44	3600 _{LM}	0.95	2
EG110-3036-2	36w	3000K	60	44	3600 _{LM}	0.95	2
EG110-6548-2	48w	6500K	60	44	4800 _{LM}	0.95	2
EG110-3048-2	48w	3000K	60	44	4800 _{LM}	0.95	2

- LED surfaced plafoniera designed for indoor applications, offering soft, uniform light with minimal glare. Ideal for offices, homes, and commercial spaces, energy-efficient and easy to install for modern ceilings.

- Driver Type : Elsewedy
- Chip Type : Epistar - Sanan
- Life Time : >30.000 hrs
- Body Material: Aluminum

- Product Code description :

EG #### - ## ## - #

Family CCT Watt

EG 183 - 65 48 - 3

SASO



RECESSED DOWNLIGHT

Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG100-656-3	6w	6500K	80	44	600 _{LM}	0.60	3
EG100-6512-3	12w	6500K	80	44	1200 _{LM}	0.60	3
EG100-6518-3	18w	6500K	80	44	1800 _{LM}	0.60	3
EG100-6524-3	24w	6500K	80	44	2400 _{LM}	0.60	3

- Recessed led downlight designed for indoor applications, offering soft, uniform light with minimal glare. Ideal for offices, homes, and commercial spaces, energy-efficient and easy to install for modern ceilings.

- Driver Type : Elsewedy
- Chip Type : Epistar - Sanan
- Life Time: >30.000 hrs
- Body Material: Aluminum
- Diffuser Material : Opal

- Product Code description :

EG #### - ## ## - #
Family CCT Watt

EG 183 - 65 48 - 3

SASO

GYPTO


Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG183-6548-2	48w	6500K	80	44	4800 _{LM}	0.90	2
EG183-4048-2	48w	4000K	80	44	4800 _{LM}	0.90	2
EG183-3048-2	48w	3000K	80	44	4800 _{LM}	0.90	2
EG183-6548-3	48w	6500K	80	44	4800 _{LM}	0.97	3
EG183-4048-3	48w	4000K	80	44	4800 _{LM}	0.97	3
EG183-3048-3	48w	3000K	80	44	4800 _{LM}	0.97	3

- Durable 60×60 LED backlight panel powered by high-performance components for stable, energy-efficient lighting. comes with 2 or 3 years warranties upon request built for reliability and durability .
- Driver Type : EL Sewedy
- Chip Type : Epistar
- Life Time : >30.000 hrs
- Body Material: Metal sheet
- Diffuser Material: Opal

• Product Code description :

EG #### - ## ## - #
Family CCT Watt Warranty

EG 183 - 65 48 - 3



SASO

SPOT COB



Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG164-657-2	7w	6500K	80	44	700 _{LM}	0.95	2
EG164-307-2	7w	3000K	80	44	700 _{LM}	0.95	2
EG164-6510-2	10w	6500K	80	44	1000 _{LM}	0.95	2
EG164-3010-2	10w	3000K	80	44	1000 _{LM}	0.95	2
EG164-6515-2	15w	6500K	80	44	15000 _{LM}	0.95	2
EG164-3015-2	15w	3000K	80	44	15000 _{LM}	0.95	2

- High-efficiency LED COB spot available in 7W to 15W, delivering focused, uniform lighting. Ideal for accent and display lighting with excellent color rendering. Sleek design for modern indoor applications.
- Driver Type :-Elsewedy
- Chip Type : Sanan
- Life Time: >30.000 hrs
- Body Material: Aluminum - Plastic
- Diffuser Material:Glass
- Product Code description :
EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO

SPOT COB



Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG164-6520-2	20w	6500K	80	44	1400 _{LM}	0.95	2
EG164-3020-2	20w	3000K	80	44	1400 _{LM}	0.95	2
EG164-6530-2	30w	6500K	80	44	2100 _{LM}	0.95	2
EG164-3030-2	30w	3000K	80	44	2100 _{LM}	0.95	2
EG164-6536-2	36w	6500K	80	44	2520 _{LM}	0.95	2
EG164-3036-2	36w	3000K	80	44	2520 _{LM}	0.95	2

- High-efficiency LED COB spot available in 20W to 36W, delivering focused, uniform lighting. Ideal for indoor lighting with excellent color renderance and sleek design for modern indoor applications.

- Driver Type :Elsewedy
- Chip Type : Sanan - Epistar
- Life Time: >30.000 hrs
- Body Material: Aluminum - Plastic
- Diffuser Material:Glass

- Product Code description :

EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO

UP AND DOWN




Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG530-3010-2	2*5w	3000K	80	65	700 _{LM}	0.6	2
EG530-3014-2	2*7w	3000K	80	65	980 _{LM}	0.6	2
EG530-3018-2	2*9w	3000K	80	65	1260 _{LM}	0.6	2

- LED Up & Down wall light , ideal for indoor and outdoor use , features high IP rating for weather resistance and dual-beam illumination with Sleek design

- Driver Type :El sewedy
- Chip Type : Sanan
- Life Time: >30.000 hrs
- Body Material: Aluminum

- Product Code description :
EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO



DOUBLE WALL APPLIQUE

Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG560-304-2	2*2w	3000K	70	65	280 _{LM}	0.98	2
EG560-306-2	3*2w	3000K	70	65	420 _{LM}	0.98	2

- Modern double wall applique with dual light sources for balanced up-and-down illumination. Adds elegance and depth to both interior and exterior walls. Ideal for ambient and decorative lighting.

- Driver Type : El Sewedy
- Chip Type : Epistar
- Life Time : >30.000 hrs
- Body Material: Aluminum

- Product Code description :

EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO

LED SPIKE



Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG500-307-C2	7w	3000K	70	65	490 ^{LM}	0.5	2
EG500-3010-C2	10w	3000K	70	65	700 ^{LM}	0.5	2
EG500-3012-C2	12w	3000K	70	65	840 ^{LM}	0.5	2
EG500-3020-C2	20w	3000K	70	65	1400 ^{LM}	0.5	2
EG500-3024-L2	24w	3000K	70	65	1680 ^{LM}	0.5	2

- Elegant LED spike light designed to provide smooth, ambient background lighting between landscape areas. Perfect for enhancing pathways, gardens, and outdoor features with a subtle, modern touch.

- Driver Type : EL Sewedy
- Chip Type : Epistar
- Life Time : >30.000 hrs
- Body Material: Aluminum
- Diffuser Material : Glass - Plastic

- Product Code description :

EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO



UP LIGHT

Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG510-3010-C2	3w	3000K	80	65	210 _{LM}	0.6	2
EG510-3012-C2	5w	3000K	80	65	350 _{LM}	0.6	2
EG510-3015-C2	7w	3000K	80	65	490 _{LM}	0.6	2
EG510-3030-C2	10w	3000K	80	65	700 _{LM}	0.6	2
EG510-3010-C2	15w	3000K	80	65	1050 _{LM}	0.6	2
EG510-3012-C2	20w	3000K	80	65	1400 _{LM}	0.6	2
EG510-3015-C2	30w	3000K	80	65	2100 _{LM}	0.6	2

- Ground-fixed LED uplight designed to highlight architectural elements and trees with precision using its lenses to deliver wide beam angle. Delivers powerful upward illumination while blending seamlessly into outdoor landscapes.

- Driver Type : Epistar - Sanan
- Chip Type : El sewedy
- Life Time : >30.000 hrs
- Body Material: Aluminum - Plastic
- Diffuser Material : Glass - Plastic

- Product Code description :
EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO

STEP LIGHT



Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG520-303-2	3w	3000K	80	65	210 LM	0.6	2
EG520-306-2	6w	3000K	80	65	420 LM	0.6	2
EG520-3010-2	10w	3000K	80	65	700 LM	0.6	2

- Sleek and compact LED steplight designed for , style, soft, and glare-free illumination for stairs, pathways, and walls, Ideal for both indoor and outdoor use.

- Driver Type: El sewedy
- Chip Type : Sanan-Epistar
- Life Time: >30.000 hrs
- Body Material: Aluminum

- Product Code description :
EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO



SIDE UPLIGHT

Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG550-302-2	2w	3000K	80	65	140 LM	0.6	2
EG550-303-2	3w	3000K	80	65	210 LM	0.6	2
EG550-304-2	4w	3000K	80	65	280 LM	0.6	2

- Side uplight designed for ground or wall-end installation, offering dramatic upward illumination. Perfect for highlighting architectural features and landscape elements. Durable and sleek for outdoor use.

- Driver Type :El sewedy
- Chip Type : Sanan
- Life Time: >30.000 hrs
- Body Material: Aluminum

- Product Code description :

EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO





OVAL BULKHEAD

Product code	IP
EG580-S	65
EG580-M	65
EG580-L	65

- Body Material : Aluminum

- Diffuser Material: Glass



SASO

LED STRIP



Product code	Power	CCT	CRI	IP	Lm/m	Wty
EG130-3015-12-120-2	15w/m	3000K	85	20	1350 ^{LM}	2
EG130-4015-12-120-2	15w/m	4000K	85	20	1350 ^{LM}	2
EG130-6515-12-120-2	15w/m	6500K	85	20	1350 ^{LM}	2

- LED strip for decorative ambient light , easy to install ,consists of 240 chip per meter for maximum output and best illumination

- Life Time: >30.000 hrs
- 240 SMD/m
- 12V DC
- 5 m/roll

- Product Code description :

EG #### - ## ## - #
Family CCT Watt DC volt
EG 183 - 65 48 - 3

SASO



ORCA STREET LIGHT

Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG710-65100-3	100w	6500K	80	65	14000 LM	0.95	3
EG710-65150-3	150w	6500K	80	65	21000 LM	0.95	3
EG710-65200-3	200w	6500K	80	65	28000 LM	0.95	3

- Durable and efficient streetlight that uses SMD as a light source designed for reliable outdoor performance, offers consistent illumination with a 3 years warranty ideal for cost effective urban and commercial lighting solutions

- Driver Type :Elsewedy - Moso
- Chip Type : Bridgelux- Philips
- Life Time: >30.000 hrs
- Body Material: Aluminum
- Diffuser Material:Glass

- Product Code description :

EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO

RAYLIT



Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG740-65100-2	50w	6500K	80	65	6500 _{LM}	0.95	2
EG740-65150-2	100w	6500K	80	65	13000 _{LM}	0.95	2
EG740-65200-2	150w	6500K	80	65	19500 _{LM}	0.95	2

- Durable and efficient streetlight that uses SMD as a light source designed for Reliable outdoor performance, offers consistent illumination with a 2 years warranty ideal for cost effective urban and commercial lighting solutions

- Driver Type : Elsewedy
- Chip Type : Sanan-Epistar
- Life Time: >25.000 hrs
- Body Material: Aluminum

- Product Code description :
EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO



RACKET SMD

Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG720-65100-2	100w	6500K	80	65	10000 _{LM}	0.95	2
EG720-65150-2	150w	6500K	80	65	15000 _{LM}	0.95	2
EG720-65200-2	200w	6500K	80	65	20000 _{LM}	0.95	2

- Durable and efficient streetlight that uses SMD as a light source designed for reliable outdoor performance, offers consistent illumination with a 2 years warranty ideal for cost effective urban and commercial lighting solutions

- Driver Type: Elsewedy
- Chip Type: Sanan-Epistar
- Life Time: >30.000 hrs
- Body Material: Aluminum
- Diffuser Material: PC

- Product Code description :
EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO

RACKET COB



Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG730-65100-2	100w	6500K	80	65	10000 _{LM}	0.95	2
EG730-65150-2	150w	6500K	80	65	15000 _{LM}	0.95	2
EG730-65200-2	200w	6500K	80	65	20000 _{LM}	0.95	2


- Durable and efficient streetlight that uses COB as a light source designed for Reliable outdoor performance, offers consistent illumination with a 2 years warranty ideal for cost effective urban and commercial lighting solutions

- 100 lm/w
- Driver Type : Elsewedy
- Chip Type : Sanan-Epistar
- Life Time: >30.000 hrs
- Body Material: Aluminum
- Diffuser Material: Polycarbonate

- Product Code description :
EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO

MARIO



Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG750-65100-2	100w	6500K	80	65	13000 _{LM}	0.95	2
EG750-65150-2	150w	6500K	80	65	19500 _{LM}	0.95	2

- Durable and efficient streetlight that uses as a light source designed for reliable outdoor performance, offers consistent illumination with a 2 years warranty ideal for cost effective urban and commercial lighting solutions

- 130 lm/w
- Driver Type : Elsewedy
- Chip Type : Sanan-Epistar
- Life Time : >30.000 hrs
- Body Material : Aluminum
- Diffuser Material : Tempered Glass

- Product Code description :
EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO



BEAMMAX

Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG780-65100-2	100w	6500K	80	66	13000 _{LM}	0.95	2
EG780-65150-2	150w	6500K	80	66	19500 _{LM}	0.95	2
EG780-65200-2	200w	6500K	80	66	26000 _{LM}	0.95	2

- BEAMMAX is a Durable and efficient streetlight that uses SMD as a light source designed for reliable outdoor performance, offers consistent illumination with a 2 years warranty ideal for cost effective urban and commercial lighting solutions

- Driver Type : Elsewedy
- Chip Type : Sanan-Epistar
- Life Time: >25.000 hrs
- Body Material: Aluminum
- Diffuser Material: Glass

- Product Code description :

EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO



HIGH BAY

Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG900-65100-3	100w	6500K	80	65	12000 _{LM}	0.95	3
EG900-65150-3	150w	6500K	80	65	18000 _{LM}	0.95	3
EG900-65200-3	200w	6500K	80	65	24000 _{LM}	0.95	3

- Powerful LED highbay lighting designed for warehouses, factories, and large indoor or outdoor spaces. Delivers high-lumen output with energy efficiency and long-lasting performance.
 - 120 lm/w
 - Driver Type :Elsewedy
 - Chip Type : Epistar-Sanan
 - Life Time: >30.000 hrs
 - Body Material: Aluminum
 - Diffuser Material: Glass - PC
- Product Code description :
EG #### - ## ### - #
Family CCT Watt Warranty
EG 183 65 100 3

SASO

BIKASU



Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG800-6550-3	50w	6500K	80	66	6000 _{LM}	0.97	3
EG800-65100-3	100w	6500K	80	66	12000 _{LM}	0.97	3
EG800-65150-3	150w	6500K	80	66	18000 _{LM}	0.97	3
EG800-65200-3	200w	6500K	80	66	24000 _{LM}	0.97	3
EG800-65300-3	300w	6500K	80	66	36000 _{LM}	0.97	3
EG800-65400-3	400w	6500K	80	66	48000 _{LM}	0.97	3

- 120 lm/w
- Driver Type : Elsewedy
- Chip Type : Epistar
- Life Time: >30.000 hrs
- Body Material: Aluminum
- Diffuser Material : Tempered Glass

• Product Code description :

EG	####	-	##	##	-	#
	Family		CCT	Watt		Warranty
EG	183	-	65	48	-	3

SASO



D-SPARK FLOOD LIGHT

Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG830-6550-2	50w	6500K	80	66	6000 ^{LM}	0.97	2
EG830-65100-2	100w	6500K	80	66	12000 ^{LM}	0.97	2
EG830-65150-2	150w	6500K	80	66	18000 ^{LM}	0.97	2
EG830-65200-2	200w	6500K	80	66	24000 ^{LM}	0.97	2
EG830-65400-2	400w	6500K	80	66	48000 ^{LM}	0.97	2

- Reliable flood light offering strong performance with high illumination Ideal for cost-conscious projects, it comes with 2 years warranty and delivers good quality lighting for outdoor and general use.

- 120 lm/w
- Driver Type : DOB
- Chip Type : Epistar
- Life Time: >30.000 hrs
- Body Material: Aluminum
- Diffuser Material : Tempered Glass

- Product Code description :

EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO

PROBEAM



Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG770-65500-2	500w	6500K	80	66	96000 _{LM}	0.96	2
EG770-65600-2	600w	6500K	80	66	128000 _{LM}	0.96	2
EG770-65800-2	800w	6500K	80	66	160000 _{LM}	0.96	2
EG770-651000-2	1000w	6500K	80	66	160000	0.96	2

- Illuminate your courts with ProBeam Plus, the ultimate LED lighting solution designed for sports venues outdoor arenas, and high-performance environments.

- Driver Type : DOB
- Chip Type : OSRAM
- Life Time : >30.000 hrs
- Body Material: Aluminum

- Product Code description :

EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO

HUMMER



Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG810-65600-3	600w	6500K	80	65	96000 _{LM}	0.96	3
EG810-65800-3	800w	6500K	80	65	128000 _{LM}	0.96	3
EG810-651000-3	1000w	6500K	80	65	160000 _{LM}	0.96	3

- High power LED Flood light engineered for sports field and wide outdoor areas delivers uniform glare-free illumination with excellent coverage and visibility, Built for performance , durability and energy efficiency

- 160 lm/w
- Driver Type: El sewedy
- Chip Type: lumiled
- Life Time: >30.000 hrs
- Body Material: Aluminum

- Product Code description :

EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO

SPARK



Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG840-65100-3	100w	6500K	80	66	15000 ^{LM}	0.95	3
EG840-65150-3	150w	6500K	80	66	22500 ^{LM}	0.95	3
EG840-65200-3	200w	6500K	80	66	30000 ^{LM}	0.95	3
EG840-65400-3	400w	6500K	80	66	60000 ^{LM}	0.95	3

- Reliable flood light offering strong performance at an affordable price. Ideal for cost-conscious projects, it comes with 2 years warranty and delivers good quality lighting for outdoor and general use.

- 120 lm/w
- Driver Type : Elsewedy
- Chip Type : Bridgelux - Focus
- Life Time : >30.000 hrs
- Body Material: Aluminum
- Diffuser Material : Glass

- Product Code description :

EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO



LED TUBE 120cm

Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG144-6518-2	18w	6500K	80	40	1800 _{LM}	0.97	2
EG144-4018-2	18w	4000K	80	40	1800 _{LM}	0.97	2
EG144-3018-2	18w	3000K	80	40	1800 _{LM}	0.97	2
EG144-6518-3	18w	6500K	80	40	1800 _{LM}	0.97	3
EG144-4018-3	18w	4000K	80	40	1800 _{LM}	0.97	3
EG144-3018-3	18w	3000K	80	40	1800 _{LM}	0.97	3

- 100 lm/w
- Chip Type : Epistar
- Life Time : >30.000 hrs
- Body Material: PC

- Product Code description :
EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3



120cm T8 tube

SASO




LED TRI PROOF

Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG960-6570-1203	70w	6500K	80	65	7700 _{LM}	0.98	3
EG960-4070-1203	70w	4000K	80	65	7700 _{LM}	0.98	3
EG960-3070-1203	70w	3000K	80	65	7700 _{LM}	0.98	3
EG960-6540-603	40w	6500K	80	65	4400 _{LM}	0.98	3
EG960-4040-603	40w	4000K	80	65	4400 _{LM}	0.98	3
EG960-3040-603	40w	3000K	80	65	4400 _{LM}	0.98	3

- LED Triproof fixture equipped with integrated LED modules or strips, available in 60 cm and 120 cm. Delivers uniform, energy-efficient lighting, perfect for humid or dusty environments, perfect for garages, workshops, and warehouses.
- Driver Type : Elsewedy
- Chip Type : Epistar
- Life Time : >30.000 hrs
- Body Material : PC
- Diffuser Material : PC
- Product Code description :
EG ### - ## ## - ### #
Family CCT Watt
EG 960 - 30 40 - 60 3

SASO



LED TUBE 60 cm


Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG145-659-2	9w	6500K	80	40	1800 _{LM}	0.97	2
EG145-409-2	9w	4000K	80	40	1800 _{LM}	0.97	2
EG145-309-2	9w	3000K	80	40	1800 _{LM}	0.97	2
EG145-659-3	9w	6500K	80	40	1800 _{LM}	0.97	3
EG145-409-3	9w	4000K	80	40	1800 _{LM}	0.97	3
EG145-309-3	9w	3000K	80	40	1800 _{LM}	0.97	3

- Chip Type : Epistar
- Life Time : >30.000 hrs
- Body Material: PC

- Product Code description :

EG #### - ## ## - #
Family CCT Watt Warranty

EG 183 - 65 48 - 3



60cm T8 tube

SASO



STREAM



Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
EG950-01-M120	18w	6500K	80	65	1800 ^{LM}	0.97	2-3
EG950-02-M120	36w	6500K	80	65	3600 ^{LM}	0.97	2-3
EG950-02-M60	18w	6500K	80	65	1800 ^{LM}	0.97	2-3
EG950-02-P120	36w	6500K	80	65	3600 ^{LM}	0.97	2-3
EG950-01-P120	18w	6500K	80	65	1800 ^{LM}	0.97	2-3
EG950-02-P60	18w	6500K	80	65	1800 ^{LM}	0.97	2-3

- LED Waterproof fixture compativle with T8 lamps , available in 60 and 120 cm , ideal for dusty environments offering reliable , splash resistant and high illumination lighting for industrial and commercial use.

- Light source : T8 Lamp
- Life Time : >30.000 hrs
- Body Material : PC
- Diffuser Material : PC

- Product Code description :

EG #### - ## - M_p ###
 Family Watt Warranty

EG 950 - 02 - M120

950 : Family
 01 : N.of lamps
 M : Metal Clips
 P : Plastic Clips
 120 : Length of lamp in cm



SASO

GLOB




Product code	Size (cm)
EG540-00-25	25
EG540-00-30	30

● Product Code description :

EG #### - ## ##
Family CCT Watt
EG 183 - 65 48

SASO

LINEAR LED



Product code

-

Power

-

CCT

6500K

CRI

80

IP

20

Lumen

PF

Warranty

2-3

- Linear profile customized upon requests , delivering nice and decorative illumination with high performance , perfect for indoor spaces

- Driver Type : Elsewedy
- Chip Type : Sanan-Epistar
- Life Time : >30.000 hrs
- Body Material : Aluminum
- Diffuser Material : Acrylic

- Product Code description :

EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO



CIRCULAR LED

Product code	Power	CCT	CRI	IP	Lumen	PF	Warranty
-	-	6500K	80	40	-	0.95	2-3
-	-	6500K	80	40	-	0.95	2-3

- Circular LED profile customized upon requests , delivering nice and decorative illumination with high performance , perfect for indoor spaces

- Driver Type : Elsewedy
- Chip Type : Sanan-Epistar
- Life Time : >30.000 hrs
- Body Material: Aluminum
- Diffuser Material: Acrylic

- Product Code description :

EG #### - ## ## - #
Family CCT Watt Warranty
EG 183 - 65 48 - 3

SASO

Powered by



EG.Light

E L S E W E D Y

